


t No.: 05725.1033-00000



PATENT TRADEMARK OFFICE

ANTI-WRINKLE COSMETIC OR PHARMACEUTICAL COMPOSITIONS COMPRISING POLYMERS AND SALTS THEREOF

2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2

[001] The present invention relates, in one aspect, to the use of at least one material chosen from polymers and salts thereof, of formula (I), as defined herein, which can be referred to as polyamino acid derivatives, in a composition, such as a cosmetic or dermatological composition. The composition can be applied to skin or mucous membranes, for example, to the face, for treating, that is to say reducing, fading out and/or smoothing out, wrinkles and/or fine lines in human skin.

[002] In the course of the ageing process, various characteristic signs appear on the skin, which are reflected especially by a modification in the cutaneous structure and functions. The main clinical signs of ageing of the skin include the appearance of wrinkles and/or fine lines, which increase with age. Disruption of the "grain" of the skin can be observed, that is to say that the microrelief is less uniform and has an anisotropic nature.

[003] It is known practice to treat these signs of ageing by using cosmetic or dermatological compositions containing active agents that are capable of combating ageing, such as α -hydroxy acids, β -hydroxy acids and retinoids. These active agents act on wrinkles by removing the dead cells from the skin and by accelerating the process of cell renewal. However, these active agents have the drawback of not being effective for the treatment of wrinkles until they have been applied for a certain time. Now, it is increasingly sought to obtain an immediate effect, leading rapidly to a smoothing-out of wrinkles and/or fine lines and to the disappearance, even temporary, of fatigue marks.

[004] It has been proposed to use an aqueous dispersion of polymer particles as a skin-tensioning agent, leading to a camouflaging of wrinkles by smoothing out the skin. However, these compositions are always in aqueous form, which may lead, firstly, to bacteriological problems, and above all, secondly, to an excessively easy removal of make-

up in the presence of water. Specifically, it is not possible, with this solution, to prepare a composition that has good water resistance.

[005] The inventors have found, surprisingly and unexpectedly, that the use of polymers and salts thereof makes it possible to obtain a composition that can be applied to skin and that can improve the "camouflaging" and/or fading out of the wrinkles and/or fine lines already formed; this effect can be obtained immediately, i.e., within 3 hours.

[006] The polymers and salts thereof used in the present invention can comprise effective tensioning agents. The expression "tensioning agent" means compounds capable of having a tensioning effect, that is to say compounds that can make the skin taut and, by this tensioning effect, smooth out skin and make the wrinkles and fine lines therein reduce or even disappear immediately.

[007] One subject of the invention is thus an anti-wrinkle composition comprising, in a physiologically acceptable medium, at least one material chosen from polymers and salts thereof, of formula (I),

[008] Another subject of the invention is the use of at least one material chosen from polymers and salts thereof, of formula (I), or of a cosmetic composition comprising it, to reduce, fade out and/or smooth out wrinkles and/or fine lines in skin.

[009] Another subject of the invention is the use of at least one material chosen from polymers and salts thereof, of formula (I), for the manufacture of a pharmaceutical composition for reducing, fading out and/or smoothing out wrinkles and/or fine lines in skin.

[010] Another subject of the invention is a tensioning agent for reducing, smoothing out and/or fading out wrinkles and/or fine lines in skin, comprising, in a physiologically acceptable medium, at least one material chosen from polymers and salts thereof, of formula (I), and uses of such materials as tensioning agents.

[011] Another subject of the invention is a cosmetic process for treating wrinkled skin, comprising applying a composition comprising at least one material chosen from polymers and salts thereof, of formula (I), to the wrinkles and/or fine lines.

[012] Another subject of the invention is a method for reducing, fading out and/or smoothing out wrinkles and/or fine lines in skin, comprising applying to skin a composition comprising, in a physiologically acceptable medium, at least one material chosen from polymers and salts thereof, of formula (I).

[013] Another subject of the invention is a method of manufacturing a pharmaceutical composition for reducing, fading out and/or smoothing out wrinkles and/or fine lines in skin, comprising adding to a physiologically acceptable medium, at least one material chosen from polymers and salts thereof, of formula (I).


[014] It has been found that the compounds according to the invention can have good skin-tensioning power. The compositions according to the invention can be easy to apply and spread easily. They make it possible to fade out the wrinkles and fine lines at the surface of the skin, immediately after application, as defined herein.

[015] The compositions of the invention may be applied to the face and/or the neck, especially the neckline. Moreover, the synthesis of these compounds can be very fast and readily industrializable. These compounds can be prepared from well-defined amino acids, which can give oligomers and polymers with high reproducibility. This can be a great advantage when compared with natural products, for which the definition and reproducibility of the batches are very difficult to control.

[016] The compositions according to the invention can have a light texture and can be very comfortable to wear throughout the day. They can allow a film to be obtained that has very good staying power and that is soft, supple, elastic and flexible on skin; it can

follow the movements of the support on which it is deposited, without cracking and/or becoming detached. They can adhere perfectly to facial skin.

[017] The compositions used in the present invention comprise at least one material chosen from polymers and salts thereof, of formula (I), that can be referred to as polyamino acid derivatives:



[018] in which:


[019] - X is chosen from -O-, -S- and -NR, wherein R is chosen from hydrogen and linear and branched, saturated and unsaturated C₁-C₆ hydrocarbon-based radicals,

[020] - R₁ is chosen from:


[021] (i) hydrogen,

[022] (ii) linear and branched, saturated and unsaturated C₁-C₄₀ hydrocarbon-based radicals, optionally substituted with at least one group chosen from hydroxyl and -NR'R'', in which R' and R'' are chosen, independently of each other, from hydrogen and linear and branched, saturated and unsaturated C₁-C₆ hydrocarbon-based radicals; the C₁-C₄₀ hydrocarbon-based radicals can be interrupted with at least one hetero atom chosen from N, O and Si,

[023] (iii) a radical chosen from:



and




[024] in which:

[025] - m is 1, 2, 3, 4 or 5;

[026] - s is an integer between 0 and 4 inclusive;

[027] - R₄ is chosen from hydrogen, -NH₂, -OH, -SH, -CHOHCH₃, -CONH₂,



[028] - R₂ is chosen from hydrogen linear and branched, saturated and unsaturated C₁-C₈ hydrocarbon-based radicals; and radicals chosen from -CH₂OH, -CHOH-CH₃, -CH₂C₆H₅, -CH₂C₆H₄p-OH and -(CH₂)_t-NH₂, with t being 1, 2, 3, 4 or 5;


[029] - R₃ is chosen from hydrogen and linear and branched, saturated and unsaturated C₁-C₆ hydrocarbon-based radicals,

[030] - n is an average number of repeating units of greater than 1, such that the weight average molecular weight of the at least one material is between 200 and 200 000, inclusive, the repeating unit being either identical for the same material, in which case the material is a homopolymer, or different, R₂ and/or R₃ then taking at least one of the other meanings given for these radicals, in which case the material is a copolymer.

[031] The at least one material may be chosen from salts of polymers of formula (I), such as mineral and organic salts that are compatible with use in cosmetics or pharmaceuticals.

[032] In one embodiment, X is chosen from O, S and N-CH₃.

[033] In one embodiment, R₁ is chosen from hydrogen, linear and branched, saturated and unsaturated C₁-C₂₂ hydrocarbon-based radicals, such as C₄-C₂₀ hydrocarbon-based radicals; and radicals chosen from:












[034] in which m, s and R₄ have the meanings given above.

[035] In one embodiment, R₂ is chosen from hydrogen, linear and branched, saturated and unsaturated C₁-C₆ hydrocarbon-based radicals, and -CH₂C₆H₄p-OH.

[036] In one embodiment, R₃ is chosen from hydrogen and linear and branched, saturated and unsaturated C₁-C₄ hydrocarbon-based radicals, such as methyl and ethyl.

[037] Exemplary compounds of formula (I), in which the radical R₁ represents one of the following formulae, include:




and



[038] In one embodiment, n is between 3 and 500 inclusive, and/or is such that the weight average molecular weight of the at least one material, such as a polyamino acid derivative, is between 300 and 50 000 inclusive.

[039] The polymers and salts of formula (I) may be obtained by processes that are well known to those skilled in the art, such as by a polycondensation reaction between at least one N-carboxyanhydride of formula:



[040] and a nucleophilic compound of formula $R_1\text{-XH}$ in which R_1 , R_2 , R_3 and X have the same meanings as those given above for formula (I).

[041] This process is described in French patent application FR 2 776 510, the disclosure of which is specifically incorporated by reference herein.

[042] The at least one material may be used, alone or as a mixture, in an amount of from 0.001% to 30% by weight relative to the total weight of the composition, such as in an amount of from 0.01% to 15% by weight relative to the total weight of the composition.

[043] The compounds according to the invention may accommodate various uses, especially in cosmetic or pharmaceutical compositions, which then comprise a physiologically acceptable medium, especially a cosmetically or pharmaceutically acceptable medium.

[044] This medium, its constituents, their amount, the presentation form of the composition and the method for preparing it may be chosen by a person skilled in the art on the basis of his general knowledge, depending on the desired type of composition.

[045] In general, this medium may be anhydrous or aqueous.

[046] When the composition comprises an aqueous phase, the said phase may comprise water, a floral water and/or a mineral water.

[047] The said phase may also comprise alcohols such as C₁-C₆ monoalcohols and/or polyols such as glycerol, butylene glycol, isoprene glycol, propylene glycol and polyethylene glycol.

[048] The composition may also comprise a fatty phase, which may comprise fatty substances that are liquid at 25°C, such as volatile or non-volatile oils of animal, plant, mineral and synthetic origin; fatty substances that are solid at 25°C, such as waxes of animal, plant, mineral and synthetic origin; pasty fatty substances; gums; mixtures thereof.

[049] The volatile oils are generally oils having, at 25°C, a saturating vapour pressure at least equal to 0.5 millibar (i.e. 50 Pa).

Among the constituents of the fatty phase that may be mentioned are:

[050] - cyclic volatile silicones containing from 3 to 8, such as from 4 to 6 silicon atoms;

[051] - cyclocopolymers such as dimethylsiloxane/methylalkylsiloxane;

[052] - linear volatile silicones comprising from 2 to 9 silicon atoms;

[053] - hydrocarbon-based volatile oils, such as isoparaffins, isododecane and fluoro oils;

[054] - poly(C₁-C₂₀)alkylsiloxanes, such as those containing trimethylsilyl end groups, for example, linear polydimethylsiloxanes and alkylmethylpolysiloxanes such as cetyl dimethicone (CTFA name);

[055] - silicones modified with at least one group chosen from fluorinated and non-fluorinated, aliphatic and aromatic groups, and functional groups, such as hydroxyl, thiol and amine groups;

[056] - phenylsilicone oils;

[057] - oils of animal, plant and mineral origin, such as animal and plant oils formed from fatty acid esters of polyols, for example, liquid triglycerides, such as sunflower oil, corn oil, soybean oil, marrow oil, grapeseed oil, sesame oil, hazelnut oil, apricot oil, almond oil, avocado oil, fish oils, glyceryl tricaprocaprylate, and plant and animal oils of formula R₁COOR₂, in which R₁ is a higher fatty acid residue containing from 7 to 19 carbon atoms and R₂ is a branched hydrocarbon-based chain containing from 3 to 20 carbon atoms, for example purcellin oil; liquid paraffin, liquid petroleum jelly, perhydrosqualene, wheat germ oil, beauty-leaf oil, sesame oil, macadamia oil, grapeseed oil, rapeseed oil, coconut oil, groundnut oil, palm oil, castor oil, jojoba oil, olive oil, cereal germ oil; fatty acid esters; alcohols; acetylglycerides; octanoates, decanoates and ricinoleates of alcohols and of polyalcohols; fatty acid triglycerides; glycerides;

[058] - fluoro oils and perfluoro oils;

[059] - silicone gums;

[060] - waxes of animal, plant, mineral and synthetic origin, such as microcrystalline waxes, paraffin, petrolatum, petroleum jelly, ozokerite wax, montan wax; beeswax, lanolin and its derivatives; candelilla wax, ouricury wax, carnauba wax, Japan wax, cocoa butter, cork fibre wax or sugar cane wax; hydrogenated oils that are solid at 25°C, ozokerites, fatty

esters and glycerides that are solid at 25°C; polyethylene waxes and the waxes obtained by Fischer-Tropsch synthesis; hydrogenated oils that are solid at 25°C; lanolins; fatty esters that are solid at 25°C; silicone waxes; fluoro waxes.

[061] The compositions may also comprise any additive usually used in the envisaged field of application, such as surfactants, antioxidants, fragrances, essential oils, preserving agents, cosmetic and pharmaceutical active agents, vitamins, essential fatty acids, sphingolipids, self-tanning agents, sunscreens, film-forming polymers, thickeners, gelling agents, colorants, pigments, fillers and nacles.

[062] A person skilled in the art can take care to select the optional additional compounds and the amount thereof, such that the advantageous properties of the composition according to the invention are not, or are not substantially, adversely affected by the envisaged addition.

[063] The compositions of the invention can be in any pharmaceutical form normally used for topical application, such as in the form of aqueous, aqueous-alcoholic and oily solutions; oil-in-water, water-in-oil and multiple emulsions, of liquid and semi-liquid consistencies of the milk type, of soft, semi-solid and solid consistencies of the cream type; aqueous and oily gels; liquid, pasty and solid anhydrous products; aqueous and oily dispersions and dispersions in a solvent medium, of lotion and serum types; microemulsions; microcapsules; microparticles and vesicular dispersions of ionic and nonionic type; in fluid, thickened and gelled, semi-solid and soft paste forms; in solid forms, such as sticks and tubes.

[064] The compositions may be more or less fluid and may have the appearance of white and coloured creams, ointments, milks, lotions, serums, pastes, and mousses. It can optionally be applied to skin in the form of an aerosol. It can also be in solid form, and for

example in the form of a stick. It can be used as a care product and/or as a make-up product for skin.

[065] When the composition of the invention is an emulsion, the proportion of the fatty phase can range from 5% to 80% by weight, such as from 5% to 50% by weight relative to the total weight of the composition. The fatty substances, the emulsifiers and the co-emulsifiers used in the composition in emulsion form can be chosen from those conventionally used in the field under consideration. The emulsifier and the co-emulsifier can be present in the composition in a proportion ranging from 0.3% to 30% by weight, such as from 0.5% to 20%, by weight relative to the total weight of the composition.

[066] In addition, the tensioning agents used according to the invention may also be combined with other compounds known to those skilled in the art as tensioning agents having properties different from those of the agents used according to the invention, especially proteins and protein hydrolysates. As compounds of this type, mention may be made, for example, of milk proteins such as lactalbumin, plant proteins such as the soybean protein sold under the name Eleseryl by the company LSN and the oat derivative sold under the name "Reductine" by the company Silab, and nucleic acids such as DNA.

[067] The compositions according to the invention can find a use especially as cosmetic or pharmaceutical compositions for skin, mucous membranes and/or semi-mucous membranes.

[068] They can find use as products for protecting and caring for the skin of the face, the neck, the hands or the body, especially anti-wrinkle and anti-fatigue compositions for making skin look radiant. A use in make-up compositions for body and facial skin, such as lipsticks, foundations, tinted creams and concealer sticks; and antisun compositions and artificial tanning compositions, may also be envisaged.

[069] The composition of the invention can be used as an anti-wrinkle composition for the skin of the face and/or the neck.

[070] The invention is illustrated in greater detail in the examples, which follow.

Example 1

[071] Preparation of the compound of formula (I) in which:

[072] $R_1 = \text{CH}_3$, $X = \text{O}$, $R_2 = -\text{CH}_2-\text{C}_6\text{H}_4-\text{pOH}$, $R_3 = \text{H}$ and $n = 100$ (theoretical index)

[073] 20 g (0.096 mol) of tyrosine N-carboxyanhydride, 0.51 g (0.003 mol) of sodium methoxide in methanol, and 200 ml of anhydrous tetrahydrofuran are introduced into a 500 ml round-bottomed flask with stirring.

[074] The mixture is stirred vigorously for 6 hours at 60°C. A considerable evolution of CO_2 takes place. At the end of the reaction, 10 ml of water are added. The solvents are evaporated off under reduced pressure.

[075] 15 g of yellow powder are obtained, equivalent to a yield of 96%.

Example 2

[076] Preparation of the compound of formula (I) in which:

[077] $R_1 = \text{H}$, $X = \text{O}$, $R_2 = \text{H}$, $R_3 = \text{CH}_3$, $R'_2 = -\text{CH}_2-\text{C}_6\text{H}_4-\text{p-OH}$ and $R'_3 = \text{H}$.

[078] 1.34 g (6.5 mmol) of tyrosine N-carboxyanhydride, 0.083 g (0.72 mmol) of sarcosine N-carboxyanhydride, 10 ml of anhydrous dioxane and 0.043 ml of a 0.03% solution of triethanolamine in dioxane are introduced into a 25 ml round-bottomed flask with

stirring. The mixture is heated at 37°C for 24 hours. A considerable evolution of CO₂ takes place. The solvent is evaporated off under reduced pressure.

[079] 1.3 g of yellow powder are obtained.

[080] The theoretical ratio of sarcosine units relative to the tyrosine units is 9.

Example 3

[081] Preparation of the compound of formula (I) in which:

[082] $R_1 = -(\text{CH}_2)_4\text{-CH}(\text{NH}_2)\text{-COOH}$, $X = \text{NH}$, $R_2 = \text{H}$, $R_3 = \text{CH}_3$, $R'_2 = -\text{CH}_2\text{-C}_6\text{H}_4\text{-p-OH}$ and $R'_3 = \text{H}$.

[083] 4.5 g (22.7 mmol) of tyrosine N-carboxyanhydride, 0.5 g (4.5 mmol) of sarcosine N-carboxyanhydride, 50 ml of anhydrous tetrahydrofuran and 1.5 ml (0.21 mmol) of a 1% solution of L-lysine in dioxane are introduced with vigorous stirring into a 100 ml round-bottomed flask equipped with a condenser and a bubbler.

[084] The mixture is heated at the reflux point of the THF for 6 hours. A considerable evolution of CO₂ takes place. After cooling to 20°C, the whole is precipitated from 50 ml of ethyl acetate with stirring, and is then filtered through a No 3 sinter funnel and dried under vacuum at 40°C.

[085] 3.7 g of white powder are obtained.

[086] The theoretical ratio of tyrosine units relative to the sarcosine units is 5.

Example 4: Anti-wrinkle cream

[087] A water-in-oil emulsion is prepared, comprising (% by weight):

Phase A

Hydrogenated polyisobutene 5.5%
 Isostearyl neopentanoate 3.5%
 PEG-20 stearate 1%
 Glyceryl stearate + PEG-100 stearate 2%
 Cetyl alcohol 0.5%
 Stearyl alcohol 0.5%
 Stearic acid 1%

Phase B

Cyclomethicone 11%

Phase C

Polyacrylamide + C13-14 isoparaffin + Laureth-7 1%

Phase D

Compound of Example 1 7%

Water 25%

Phase E

Preserving agents qs
 Triethanolamine 0.03%
 Demineralized water qs 100%

[088] Phase A is heated with stirring until homogeneous. After cooling, phase B is added. Phase E is heated with stirring, and E is then poured into A with continued stirring. After cooling to 50°C, phase C is incorporated into the emulsion, followed by phase D.

[089] A water-in-oil emulsion that may be used as an anti-wrinkle cream is obtained.

Example 5: Anti-ageing serum

[090] A serum is prepared by mixing together the following (% by weight):

Polyacrylamide + C13-14 isoparaffin + Laureth-7 1%

Xanthan gum 0.2%

PVM/MA decadiene crosspolymer 0.2%

Triethanolamine 0.2%

Compound of Example 1 3.5%

Preserving agents qs

Water qs 100%

Example 6: Evaluation of the tensioning effect by measurement using a dermatometer

[091] The "tensioning" effect of the compounds according to the invention is evaluated by measurement using a dermatometer. This device was described by L. Rasseneur et al. in Influence des Différents Constituants de la Couche Cornée sur la Mesure de son Elasticité [Influence of the Various Constituents of the Horny Layer on the Measurement of its Elasticity], *International Journal of Cosmetic Science*, 4, 247-260 (1982). The principle consists in measuring, before treatment and after treatment, the length of a test sample of isolated stratum corneum and in determining the percentage of retraction of the test sample.

[092] Test samples of 0.6 cm × 0.4 cm of stratum corneum ranging from 10 to 20 μm in thickness are used, mounted on the MTT 610 extensiometer sold by the company Diastron.

[093] The test sample is placed between two jaws and then left for 12 hours in an atmosphere at 30°C and 40% relative humidity. These jaws are then attached to the dermometer.

[094] The test sample is pulled at a speed of 1 mm/minute by a length of between 5% and 10% of the initial length to determine the length L_0 at and above which the test sample begins to exert a force on the jaws that is detected by the device.

[095] The test sample is then relaxed, after which 2 mg of the test composition are applied over the entire surface of the stratum corneum.

[096] To prepare these compositions, the compounds are dissolved in hot (60°C) DMF, to a concentration of 7% by weight; the solution is maintained at 60°C until completely dissolved. It is cooled to 30°C before use. The composition is then applied to the test sample. After total evaporation of the composition (drying at room temperature for 30 minutes), the test sample is pulled under the same conditions as those described above so as to determine also the length L_1 for the treated test sample.

[097] The percentage of retraction is determined by the ratio:

$$[098] \quad 100 \times (L_1 - L_0)/L_0.$$

[099] To characterize a tensioning effect, this percentage must be negative, and the tensioning effect is proportionately greater the larger the absolute value of the percentage of retraction.

[0100] The following results are obtained (mean and standard deviation on 7 samples):

% Variation in the length of the sample of stratum corneum and kinetics of the effect:

| Compound | 1H | 2H | 3H | Std-1H | Std-2H | Std-3H |
|-----------|------|------|------|--------|--------|--------|
| Example 1 | -0.9 | -1.6 | -1.5 | 1.4 | 1.1 | 1.1 |
| Example 2 | -1.3 | -1.1 | -0.9 | 0.7 | 0.7 | 0.5 |
| Example 3 | -1.5 | -1.1 | -0.5 | 1.4 | 1.0 | 1.1 |

[0101] The compositions can be selected to show effectiveness within the first hour and onward, e.g., Example 2, within the first two hours and onward, e.g., Example 1, or during the first two hours, e.g., Example 3.